Aircraft Orientation

Air Attack



Air Tactical Group Supervisor (ATGS)

Pilot flies the plane

ATGS Coordinates Fixed & Rotary Wing Aircraft assigned to the fire.



Air Attack

Air Attack Also Used For:

Mapping

Reconnaissance

Arial Photography

Lightning Detection

USFS Lead Plane



Air Attack With Air Tankers



VLAT
Air Tanker
DC-10
Tanker 910

King Air E-90 Lead Plane 12,000 Gallons



\$25,500 per hour

Type I
Air Tanker
Retardant
Drop



Type 1


3000+ gallons of retardant





3000 Gallons

Lockheed C-130 Hercules



Lockheed P3-A Orion





3000 gallons



3000 gallons

Air National Guard C-130/MAFFS

Modular Airborne Fire Fighting System



Type II 1800 to 2,999 Gallons





Douglas DC-4 Airliner

2000 gallons





Consolidated PB4Y2 Privateer

2200 gallons





Lockheed SP-2H

2000 Gallons





P2V Neptune

2400 gallons



Type III 600 to 1,799 Gallons



S-2 Air Tanker

> 1,200 Gallons



S-2T
Air Tanker
Retardant
Drop





Canadair
CL-415
Super Scooper
1300 gallons
Class A foam

PBY-5A
Catalina
1100 gallons
Class A foam



Aircraft are most effective:

On initial attack

Followed up with fast and aggressive

ground action





Heavy Helicopters



Type I

16 seats, including pilot

5000 lbs card weight capacity

700 gallon bucket

Examples, CH-54A CH-47 K-Max Mi-14



S-64 Heli-Tanker 2000+ Gallons



UH-60 Black Hawk

Boeing 234 Vertol Chinooks



Type II

10 seats, including pilot.

2500 lbs. weight capacity.

300 gallons tank or bucket

Examples,
Bell-214 & 205
S-58 & S-55T



Water Drop From a Helicopter





Bell-212 w/ tank

Bell-UH1H
CDF-Super Huey
w/ bucket



Water drop
From a
Helicopter
with a
fixed tank



Helicopter Water Bucket



Helitanker with a fixed water tank



Two Sky
Cranes with
Buckets



Helitanker dropping retardant



Heavy
helicopter
with a
bucket



Type III Helicopter



